

LED BATTENS WITH A COMPLETE RANGE OF ATTACHMENTS**PRODUCT DESCRIPTION**

LED battens in 4', 5' & 6' sizes, with a choice of standard or high-output at each length. Standard output variants replace single lamp fluorescent battens, and high-output variants replace twin-lamp battens. All attachments are to be ordered separately and they enable the installer to match existing fluorescent installations exactly - but with substantial energy savings and increased light output.

KEY FEATURES

- Steel batten body with the same length and width as a conventional batten for easy replacement
 - Driver housed in the body for effective thermal management and long life
 - More light and less power consumption at every length and wattage than the equivalent T5 or T8 batten
 - Emergency (E3) and dimming (DD) versions available, as listed
 - Class I
-

TECHNICAL DETAILS

Standard and high-output versions available in 3 sizes as follows:

- 4' standard, 30W, 3,370 lumens, 109 l.lm.c.W
- 4' high-output, 55W, 5,920 lumens, 105 l.lm/c.W

- 5' standard, 40W, 4,600 lumens, 115 l.lm.c.W
- 5' high-output, 65W, 7,450 lumens, 113 l.lm/c.W



- 6' standard, 50W, 5,335 lumens, 109 l.lm.c.W
- 6' high-output, 75W, 8,475 lumens, 102 l.lm/c.W

- CRI >80
- CCT 5000K
- Class I
- 5 year warranty

Part number	Description
LEDBATS1	4FT 3370LM 30W LED BATTEN 850
LEDBATS1E3	4FT 3370LM 30W LED BATTEN 850 E3
LEDBATS1/DIM	4FT 3370LM 30W LED BATTEN 850 DD
LEDBATS1E3/DIM	4FT 3370LM 30W LED BATTEN 850 DD E3
LEDBATT5	4FT 5920LM 55W LED BATTEN 850
LEDBATT5E3	4FT 5920LM 55W LED BATTEN 850 E3
LEDBATT5/DIM	4FT 5920LM 55W LED BATTEN 850 DD
LEDBATT5E3/DIM	4FT 5920LM 55W LED BATTEN 850 DD E3
LEDBATS2	5FT 4600LM 40W LED BATTEN 850
LEDBATS2E3	5FT 4600LM 40W LED BATTEN 850 E3
LEDBATS2/DIM	5FT 4600LM 40W LED BATTEN 850 DD
LEDBATS2E3/DIM	5FT 4600LM 40W LED BATTEN 850 DD E3
LEDBATT3	5FT 7450LM 65W LED BATTEN 850
LEDBATT3E3	5FT 7450LM 65W LED BATTEN 850 E3
LEDBATT3/DIM	5FT 7450LM 65W LED BATTEN 850 DD
LEDBATT3E3/DIM	5FT 7450LM 65W LED BATTEN 850 DD E3
LEDBATS4	6FT 5335LM 50W LED BATTEN 850
LEDBATS4E3	6FT 5335LM 50W LED BATTEN 850 E3
LEDBATS4/DIM	6FT 5335LM 50W LED BATTEN 850 DD
LEDBATS4E3/DIM	6FT 5335LM 50W LED BATTEN 850 DD E3
LEDBATT6	6FT 8475LM 75W LED BATTEN 850
LEDBATT6E3	6FT 8475LM 75W LED BATTEN 850 E3

LEDBATT6/DIM	6FT 8475LM 75W LED BATTEN 850 DD
LEDBATT6E3/DIM	6FT 8475LM 75W LED BATTEN 850 DD E3
LEDDIFF4	4FT LED BATTEN DIFFUSER PC
LEDDIFF5	5FT LED BATTEN DIFFUSER PC
LEDDIFF6	6FT LED BATTEN DIFFUSER PC
LEDDIIFCLIP	LED BATTEN DIFFUSER SUPPORT CLIPS PACK OF 4
LEDREFL4	4FT LED BATTEN STEEL REF (2 REQ)
LEDREFL5	5FT LED BATTEN STEEL REF (2 REQ)
LEDREFL6	6FT LED BATTEN STEEL REF (2 REQ)

PHOTOMETRIC DATA



Date completed by manufacturer: 29 September 2016