

**LED COMMERCIAL RECESSED DOWNLIGHT****PRODUCT DESCRIPTION**

LED commercial fixed downlight with opal diffuser. Suitable for corridors, offices, toilets and general circulation areas.

**KEY FEATURES**

- For recessed installation
  - Back-lit design with LEDs mounted in a die-cast aluminium heat sink & body
  - Driver in integral enclosure mounted on the side of the fitting
  - Plug-in connector for emergency conversion pack, so any fitting can be converted to emergency later if required. Emergency conversion packs to be ordered separately, as listed below.
  - Loop-in / loop-out terminals for easy installation
  - Opal diffuser in a die-cast aluminium bezel
  - Supplied complete with driver
-


**TECHNICAL DETAILS**

- Available in 2 wattages, as listed:
  - o 13W (nom.), 15.7W (act.) 1,310 lumens, 83 l.lm/c.W
  - o 27W (nom), 29.4W (act.) 2,500 lumens, 85 l.lm/c.W
- CRI >80
- CCT 5000K
- Class II, but provision is made for PE to loop in/out
- 5 year warranty


Part number	Description
LEDCFL3	180MM 1250LM 15W LED COM DOWNLIGHT 850
LEDCFL4	230MM 2350LM 27W LED COM DOWNLIGHT 850
LEDCFLE3	PLUG-IN EMERGENCY PACK FOR LEDCFL3/4


**PHOTOMETRIC DATA**

13W




27W





Plug-in emergency conversion pack



Date completed by manufacturer: 29 September 2016